UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/777,498	02/12/2004	Donald P. Ewing	1456-2U	5239
	7590 08/18/201 R & WEISBERG, P.A	-	EXAMINER	
200 EAST LAS	OLAS BOULEVARI		CEGIELNIK, URSZULA M	
SUITE 2040 FORT LAUDERDALE, FL 33301			ART UNIT	PAPER NUMBER
			3711	
			MAIL DATE	DELIVERY MODE
			08/18/2010	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

	Application No.	Applicant(s)
	10/777,498	EWING ET AL.
Office Action Summary	Examiner	Art Unit
	Urszula M. Cegielnik	3711
The MAILING DATE of this communication app Period for Reply	pears on the cover sheet with the c	orrespondence address
A SHORTENED STATUTORY PERIOD FOR REPLY WHICHEVER IS LONGER, FROM THE MAILING DOWN THE MAILING DOWN THE MAILING DOWN THE MAILING DOWN THE MAILING THE MAILING THE METERS OF THE MAILING THE MAILING THE METERS OF THE	ATE OF THIS COMMUNICATION 36(a). In no event, however, may a reply be tin will apply and will expire SIX (6) MONTHS from , cause the application to become ABANDONE	N. nely filed the mailing date of this communication. D (35 U.S.C. § 133).
Status		
Responsive to communication(s) filed on 18 N This action is FINAL . 2b) ☐ This Since this application is in condition for alloward closed in accordance with the practice under E	action is non-final.	
Disposition of Claims		
4) ☐ Claim(s) <u>1,2,4,6,8,13-16,18,21 and 48-57</u> is/ar 4a) Of the above claim(s) is/are withdraw 5) ☐ Claim(s) is/are allowed. 6) ☐ Claim(s) <u>1,2,4,6,8,13-16,18,21 and 48-57</u> is/ar 7) ☐ Claim(s) is/are objected to. 8) ☐ Claim(s) are subject to restriction and/o	wn from consideration.	
Application Papers		
9) The specification is objected to by the Examine 10) The drawing(s) filed on is/are: a) acc Applicant may not request that any objection to the Replacement drawing sheet(s) including the correct 11) The oath or declaration is objected to by the Ex	epted or b) objected to by the I drawing(s) be held in abeyance. See cion is required if the drawing(s) is ob	e 37 CFR 1.85(a). jected to. See 37 CFR 1.121(d).
Priority under 35 U.S.C. § 119		
12) Acknowledgment is made of a claim for foreign a) All b) Some * c) None of: 1. Certified copies of the priority document 2. Certified copies of the priority document 3. Copies of the certified copies of the priority document application from the International Bureau * See the attached detailed Office action for a list	s have been received. s have been received in Applicati rity documents have been receive u (PCT Rule 17.2(a)).	on No ed in this National Stage
Attachment(s) 1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO/SB/08) Paper No(s)/Mail Date	4) Interview Summary Paper No(s)/Mail Da 5) Notice of Informal P 6) Other:	ate

DETAILED ACTION

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

Claims 1, 4, 6, 8, 13, 21, and 48-57 are rejected under 35 U.S.C. 103(a) as being unpatentable over Gilbert (US Patent No. 6,961,622) in view of North et al. (US Patent No. 7,142,923) and Gliner (US Patent No. 6,671,557)

Gilbert discloses a housing (col. 6, line 12) conformable to a portion of a body, said housing being formed by one or more layers of water resistant material (the layers are substantially water resistant being made of polyethylene (which is thermoplastic) foam and protecting circuitry to a degree); a control circuit connected directly to two or more electrodes wherein said control circuit and said electrodes are substantially contained within the housing (col. 5, lines 60-67 through col. 6, lines 1-4); and a layer of electrical insulation surrounding at least a portion of the control circuit; a body; and wherein said apparatus is attachable to said body with adhesive comprising one or more electrogel pads; voltage intensity control; a battery (46); hydrogel; display indicating status and intensity.

Gilbert does not explicitly disclose a microprocessor having programmable intensities according to duty cycles; the duty cycles having the claimed ranges; the

polymeric material of the housing being polyvinyl chloride; the apparatus outputting a square waveform at a constant current; the first electrical pulse is greater than two times larger than a plurality of subsequent substantially square waveform pulses; the first electrical pulse is approximately ten times larger than a plurality of subsequent substantially square waveform pulses.

North et al. teaches a neurostimulator that has a microprocessor that may be programmed to include different intensities with duty cycles.

It would have been obvious to one having ordinary skill in the art at the time the invention was made to provide a microprocessor as taught by North et al., since such a modification would permit specific intensity values with respect to a duty cycle to be given.

Gliner teaches an apparatus outputs a plurality of electrical pulses, the plurality of electrical pulses including a first electrical pulse substantially larger than a plurality of subsequent substantially square waveform pulses (see Figure 8, for example) and col. 2, lines 24-28).

It would have been obvious to one having ordinary skill in the art at the time the invention was made to provide a square wave at a constant current as taught by Liss et al., since such a modification would permit the timing of the control circuitry.

Furthermore, it would have been obvious to one having ordinary skill in the art at the time the invention was made to provide a plurality of electrical pulses including a first electrical pulse substantially larger than a plurality of subsequent substantially

square waveform pulses as taught by Gliner, since such a modification would permit the desired treatment option in conjunction with the management of electrical impulses.

With regard to the number of intensities having a duty cycle, North et al. teaches a plurality of programs that each include a duty cycle. Because of the programmable capability of the microprocessor, it would logically follow that a third program with a corresponding duty cycle may be provided.

It would have been obvious to one having ordinary skill in the art at the time the invention was made to provide the number of intensities with a corresponding duty cycle being three as taught by North et al., since such modification would enhance the functionality of the device.

With regard to the claimed duty cycles each having a claimed range (value),

North et al. teach programming the microprocessor to provide specific values of duty

cycles in order to carry out programmed treatment.

It would have been obvious to one having ordinary skill in the art at the time the invention was made to provide duty cycles with a range of values as taught by North et al., since such a modification would permit programmed treatment to be carried out.

With regard to the claimed duty cycles each having a claimed range (value), it would have been obvious to one having ordinary skill in the art at the time the invention was made to provide first, second, third duty cycles with ranges 9 and 14%, 26 and 31%, and 47 and 53% (values of 45 milliseconds and 93 milliseconds), respectively, since it has been held that where the general conditions of a claim are disclosed in the

prior art, discovering the optimum or workable ranges involves only routine skill in the art. *In re Aller, 105 USPQ 233.*

Regarding the first electrical pulse being greater than two times (ten times) larger than a plurality of subsequent substantially square waveform pulses, it would have been obvious to one having ordinary skill in the art at the time the invention was made to provide the abovementioned claimed feature, since it has been held that where the general conditions of a claim are disclosed in the prior art, discovering the optimum or workable ranges involves only routine skill in the art. *In re Aller, 105 USPQ 233*.

Note: The claims do not preclude the use of additional pulses during or after the first pulse.

With regard to the polymer housing being polyvinyl chloride, it would have been obvious to one having ordinary skill in the art at the time the invention was made to provide the housing made of polyvinyl chloride, since the examiner takes Official Notice of the equivalence of polyvinyl chloride and polyethylene for their use in the foam art and the selection of any of these shown equivalents to provide a foam housing would be within the level of ordinary skill in the art.

Claim 2 is rejected under 35 U.S.C. 103(a) as being unpatentable over the references as applied to claim 1 above, and further in view of Silverstone (US Patent No. 6,351,674).

The modified invention of Gilbert lacks an adjustable voltage intensity ranging from 90 to 180 volts.

Silverstone teaches an electrical stimulation device with voltages in the range between 90 and 180 volts (col. 3, lines 19-20).

It would have been obvious to one having ordinary skill in the art at the time the invention was made to provide the abovementioned claimed features as taught by Silverstone, since Silverstone states at col. 3, lines 19-20, that such voltages are known of typical stimulators.

Claims 14 and 15 are rejected under 35 U.S.C. 103(a) as being unpatentable over the references as applied to claim 1 above, and further in view of Thomas (US Patent No. 5,107,835).

The modified invention of Gilbert lacks the apparatus using a frequency of approximately 0.1 to 4000 Hertz.

Thomas teaches an apparatus using a frequency of approximately 0.1 to 4000 Hertz (col. 2, lines 19-25).

It would have been obvious to one having ordinary skill in the art at the time the invention was made to provide the abovementioned claimed feature as taught by Thomas, since Thomas states at col. 2, lines 19-20 that such a modification would decrease inflammation in an afflicted region in a patient.

Claim 16 is rejected under 35 U.S.C. 103(a) as being unpatentable over the references as applied to claim 1 above, and further in view of DiLorenzo (US Patent Application Publication No. 2003/0018367).

The modified invention of Gilbert lacks the apparatus having a pulse width of approximately 45 milliseconds and a range from .01 microsecond to 50 milliseconds.

DiLorenzo teaches an apparatus having a pulse width in the range of 1 microsecond and 1000 milliseconds (paragraph 0100, lines 8-10).

With regards to providing a pulse width from the range of .01 microsecond, it would have been obvious to one having ordinary skill in the art at the time the invention was made to provide a pulse width from the range of .01 microsecond, since it has been held that where the general conditions of a claim are disclosed in the prior art, discovering the optimum or workable ranges involves only routine skill n the art. *In re Aller, 105 USPQ 333.*

Claim 18 is rejected under 35 U.S.C. 103(a) as being unpatentable over the references as applied to claim 1 above, and further in view of Zilber (US Patent No. 3,822,708),

The modified invention of Gilbert lacks the apparatus outputting approximately thirty pulses over a four-second duration.

Zilber teaches an apparatus outputting 5 to 200 pulses per second (col. 4, line 9).

It would have been obvious to one having ordinary skill in the art at the time the invention was made to provide the abovementioned claimed feature as taught by Zilber, since such a modification would permit a certain value of current to be passed.

With regards to providing the time period being four seconds, it would have been obvious to one having ordinary skill in the art at the time the invention was made to provide a time period being four seconds, since it has been held that where the general conditions of a claim are disclosed in the prior art, discovering the optimum or workable ranges involves only routine skill n the art. *In re Aller*, 105 USPQ 333.

Application/Control Number: 10/777,498 Page 8

Art Unit: 3711

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Urszula M. Cegielnik whose telephone number is 571-272-4420. The examiner can normally be reached on Monday and Thursday, from 9:00AM-5:30PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Eugene L. Kim can be reached on 571-272-4463. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/umc/ /Gene Kim/ Supervisory Patent Examiner, Art Unit 3711